
Q93024

Applicant: Emil GIZA
Filed: February 3, 2006

For: MANUFACTURING METHOD FOR TIRE CORD AND ADHESIVE MATERIAL FOR TIRE CORD

1 OF 8

F/G. 1




Q93024

Filed: February 3, 2006

For: MANUFACTURING METHOD FOR TIRE CORD AND ADHESIVE MATERIAL FOR TIRE CORD

2 OF 8


F/G. 2



For: MANUFACTURING METHOD FOR TIRE CORD AND ADHESIVE MATERIAL FOR TIRE CORD

3 OF 8

FIG. 3A



Invention method

BEST AVAILABLE COPY


Filed: February 3, 2006

Q93024

For: MANUFACTURING METHOD FOR TIRE CORD AND ADHESIVE MATERIAL FOR TIRE CORD

4 OF 8

F/G. 3B




DIP method

Filed: February 3, 2006 Q93024

For: MANUFACTURING METHOD FOR TIRE CORD AND ADHESIVE MATERIAL FOR TIRE CORD

5 OF 8

F/G. 3C




Brushing method

Q93024

Filed: February 3, 2006
For: MANUFACTURING METHOD FOR TIRE CORD
AND ADHESIVE MATERIAL FOR TIRE CORD

6 OF 8




Q93024

Filed: February 3, 2006
For: MANUFACTURING METHOD FOR TIRE CORD AND ADHESIVE MATERIAL FOR TIRE CORD

7 OF 8

F/G. 5



Filed: February 3, 2006

For: MANUFACTURING METHOD FOR TIRE CORD AND ADHESIVE MATERIAL FOR TIRE CORD

Q93024

8 OF 8

